



Certificate of Analysis for

Club 13 Enterprises
8165 State Rd 207
Hastings, FL 32145
Phone: (877) 922-5783

Received: 9/12/2025 @ 29.5 °C
Report ID: 2509674

Sample ID: 2509674-001 Club13 Energy Shot Lot AK12

ACR.1a: AC by mass via AOAC 2015.13 (Petrifilm™) Analyzed 09/12/25

Aerobic Plate Count	< 10	CFU/g
---------------------	------	-------

CCR.1a: CC by mass via AOAC OM 2018.13 (Petrifilm™) Analyzed 09/12/25

Total Coliform Bacteria	< 10	CFU/g
-------------------------	------	-------

ECR.1a: EC by mass via AOAC OM 2018.13 (Petrifilm™) Analyzed 09/12/25

Escherichia coli	< 10	CFU/g
------------------	------	-------

GU Pro STEC SLM.2: STEC Salmonella via AOAC PTM 092101 Analyzed 09/16/25

Salmonella spp.	Absent	CFU/100 g	Shiga toxin-producing E. coli (stx)	Absent	CFU/100 g
-----------------	--------	-----------	-------------------------------------	--------	-----------

ICPMS.1: Metals via AOAC 2015.01 Modified (ICP/MS) Analyzed 09/17/25

Arsenic (As)	< 0.0200	mg/kg (ppm)	Cadmium (Cd)	< 0.0100	mg/kg (ppm)
Lead (Pb)	< 0.00500	mg/kg (ppm)	Mercury (Hg)	< 0.00500	mg/kg (ppm)

MIT.2: Kratom Alkaloids via HPLC-DAD Analyzed 09/15/25

7-Hydroxymitragynine	< 100	ppm	Isorhynchophylline	< 0.100	mg/13 mL
Mitragynine	14.7	mg/13 mL	Mitraphylline	< 0.100	mg/13 mL
Paynantheine	0.305	mg/13 mL	Speciociliatine	< 0.0100	mg/13 mL
Speciogynine	0.176	mg/13 mL	Total Alkaloids	15.2	mg/13 mL

Myc.1: Mycotoxins by LC-MS Analyzed 09/15/25

Aflatoxin B1	< 10.0	µg/kg (ppb)	Aflatoxin B2	< 10.0	µg/kg (ppb)
Aflatoxin G1	< 10.0	µg/kg (ppb)	Aflatoxin G2	< 10.0	µg/kg (ppb)
Ochratoxin A	< 20.0	µg/kg (ppb)			

ResSolv.1: Residual Solvents by Headspace GC/MS Analyzed 09/16/25

1,2-Dichloroethane	< 1.00	mg/kg (ppm)	2-Propanol	< 50.0	mg/kg (ppm)
Acetone	< 50.0	mg/kg (ppm)	Acetonitrile	< 50.0	mg/kg (ppm)
Benzene	< 0.500	mg/kg (ppm)	Chloroform	< 1.00	mg/kg (ppm)
Cyclohexane	< 50.0	mg/kg (ppm)	Diethyl ether	< 50.0	mg/kg (ppm)
Ethanol	< 50.0	mg/kg (ppm)	Ethyl Acetate	< 50.0	mg/kg (ppm)
Heptane	< 50.0	mg/kg (ppm)	Hexane	< 2.00	mg/kg (ppm)
Methanol	< 50.0	mg/kg (ppm)	Methylene Chloride	< 1.00	mg/kg (ppm)
N,N-Dimethylformamide	< 10.0	mg/kg (ppm)	Pentane	< 50.0	mg/kg (ppm)
Toluene	< 1.00	mg/kg (ppm)	Trichloroethene	< 50.0	mg/kg (ppm)
Xylenes (p-, m-, o-)	< 40.0	mg/kg (ppm)			

STA.1a: S. aureus by mass via AOAC 2003.07, 2003.08, 2003.11 (Petrifilm™) Analyzed 09/12/25

Staphylococcus aureus	< 10	CFU/g
-----------------------	------	-------

YM.1a: YM by mass via AOAC RI 121301 (Petrifilm™) Analyzed 09/12/25

Yeast and Mold	30	CFU/g
----------------	----	-------



Certificate of Analysis for

Club 13 Enterprises
8165 State Rd 207
Hastings, FL 32145
Phone: (877) 922-5783

Received: 9/12/2025 @ 29.5 °C
Report ID: 2509674

Riley M. Horner

Reported By Riley Horner, Microbiology Laboratory Manager, 9/18/2025